proceq
A Screening Eagle Company



Zehntner Gloss

ZGM 1120

Portable Precision Glossmeter

Versatile

Measure curved and confined spaces with ease, with reliable and cosistent results.

Connected

Plug-and-play connection to your PC with data transmitted directly to the computer.

Ease-of-use

A one-button operation and the ability to measure even very confined surfaces.













Instrument
Tech Specs

PC Software	Screening Eagle Workspace
Display	Connects to computer
Memory	Connects to computer
Measurement Modes	Single, Continous
Measuring Geometries	1-angle: 60° 2-angle: 20°/60° 3-angle: 20°/60°/85°
Measuring Range	0 - 2'000 GU
Measuring Accuracy	0 - 199.9 GU: ± 0.1% 200 - 2'000 GU: ± 0.1 %
Weight	60°: 90 g (0.198 lbs) 20°/60°: 96 g (0.212 lbs) 20°/60°/85°: 120 g (0.265 lbs)
Battery	USB-powered

Standards & Guidelines	Description
ASTM D2457	
ASTM D523	
BS 3900-D6	
DIN 67530	
Depending on version:	
ISO 2813	
JIS Z 8741	

SWISS MADE

Present in +100 countries, we serve inspectors and engineers all over the world with the most comprehensive range of InspectionTech solutions, combining intuitive software and Swiss-manufactured sensors.
www.screeningeagle.com

Request a quote

SCREENING EAGLE | proceq

Machine translated & automatically generated (English version prevails): 21.07.2026
Copyright © 2023 Screening Eagle Technologies AG or its affiliates. All rights reserved.