



### Zehntner Marking Retroreflection

## **ZRM 6010 RL**

Night visibility. Continuous wetting and rain conditions.



### Versatility

Gather data for night visibility effectively under any weather conditions, at day or night, on any road surface



#### **Accuracy**

Telescopic handle for easy field and laboratory operation —the result is a new benchmark of measurement accuracy and robustness under any conditions in the field



#### **Productivity**

Enrich your measurements with precise geolocation and high resolution images. The user friendly analysis software makes comprehensive reports possible quickly and with ease













# **Instrument** Tech Specs

Technology	GPS, internal printer	
Display	Touchscreen 5.7" color TFT (LCD), LED backlight, VGA resolution	
Memory	1 GB internal flash memory	
Measurement Modes	R <sub>L</sub> dry (night visibility) R <sub>L</sub> wet (night visibility) R <sub>L</sub> continuous wetting (night visibility) °C/°F (ambient temperature) rH % (relative humidity)	
Measuring Area	(WxL): 52mm x 489mm (2.05" x 19.25")	
Measuring Range	R <sub>L</sub> : 0 - 4'000 mcd•m <sup>-2</sup> •lx <sup>-1</sup>	
Measuring Accuracy	Repeatability ± 2 %	
Observation Angle	EN 1436: 2.29° ASTM E1710: 1.05°	
Illumination Angle	EN 1436: 1.24° ASTM E1710: 88.76°	
Reporting software	Includes mapping and data analysis software MappingTools	
Weight	6.4kg (14.11 lbs)	
Operating Temperature	0°C to +50°C (32°F to 122°F), non condensing	

Standards & Guidelines	Description
ASTM E1710-18	Standard Test Method for Measurement of Retroreflective Pavement Marking Materials with CEN- Prescribed Geometry Using a Portable Retroreflectometer
ASTM E2177	Standard Test Method for Measuring the Coefficient of Retroreflected Luminance (RL) of Pavement Markings using the Bucket Method in a Condition of Wet Recovery
ASTM E2832-12(2017)	Standard Test Method for Measuring the Coefficient of Retroreflected Luminance of Pavement Markings in a Standard Condition of Continuous Wetting (RL-2)
CIE 54.2	
DB 51 T2429	
EN 13197	
EN 1436	
GB/T 16311 ( United Kingdom)	
GB/T 21383 ( United Kingdom)	
JT/T 690	





Present in +100 countries, we serve inspectors and engineers all over the world with the most comprehensive range of InspectionTech solutions, combining intuitive software and Swissmanufactured sensors.

www.screeningeagle.com

Request a quote



